

Simplicity
Since 1922[®]



2026
RIDERS, LAWN TRACTORS
& ZERO TURNS





A CENTURY OF STRIPES

Simplicity's 100-year history has been filled with innovation, perseverance, and premium quality products.

The company began by producing boring machines and took flight as the door to garden equipment opened.

Whether a garden tractor or zero turn mower, the love for Simplicity mowers has been passed on through generations. While a tribute is paid to the past, a promising future of Simplicity awaits.



CONTENTS

The Dealer Experience	04
The Simplicity® Difference	05
BlueVolt® Electric Rider NEW!	06
BlueVolt® Electric Zero Turn Mower NEW!	08
SLR Compact High-Grass Mower NEW!	10
Regent™ Lawn Tractors NEW!	12
Broadmoor™ Lawn Tractor	14
Baron™ Lawn Tractors with collector	16
Duke™ Lawn Tractors with collector NEW!	18
Duke™ Lawn Tractors with high dump	20
Courier™ Zero Turns	22
Specifications	28
Accessories	32

THE DEALER EXPERIENCE



MAKING THE RIGHT DECISION.

Not sure what type of mower you need? Your Simplicity® dealer can help. Need someone to deliver your tractor or zero turn? Your Simplicity dealer will deliver it to your home. Need a little training on how to use your new mower? Your Simplicity dealer can show you what you need to know. Most importantly, by purchasing a Simplicity through your local dealer, you will not only be getting a premium mowing experience, but your own trusted mowing advisor.

- Expert advice
- Product selection help
- Test drives
- Trustworthy service technicians
- Parts availability
- Product pick-up and delivery
- Seasonal maintenance
- Accepts Trade-Ins*
- Attachment expertise



*Participating dealers may vary.

THE SIMPLICITY® DIFFERENCE

Simplicity® Tractors and Zero Turn mowers are built to last with durable components - all-steel hoods and seat decks, long-life engines, transmissions and serviceable arbor and shaft assemblies. Designed with the operator in mind, Simplicity Mowers offer ergonomic, easy-to-use controls and innovative features to make your mowing experience even more enjoyable.



LAWN STRIPING

Our Free Floating™ mower deck is the pinnacle of performance which all others attempt to achieve. Attached by the pivoting front axle, the mowing deck follows even the slightest contours in your lawn, resulting in a scalp-free velvety cut. The full-width striping roller lays the grass down in the direction the mower is traveling to create striping patterns. Available on Broadmoor™ lawn tractor.



SUPERIOR TRACTION WITH ACT™

Automatic Controlled Traction™ will supply extra power to both rear tyres when one tyre starts to slip. The ACT™ feature helps you avoid getting stuck and keeps you moving forward when performing jobs in your garden. Available on the SLR85 and Broadmoor™ lawn tractor.



CENTRECUT™ & CENTRECUT™ PLUS MOWER DECK

The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances and personal preferences. The Plus adds magnificent rear discharging capabilities. Available on Regent™ SYT122 (Plus), Courier™ SZT105, Courier™ SZT175 and Courier™ SZT275.

CENTRECUT™
CONVERTIBLE MOWING TECHNOLOGY



HYDROSTATIC TRANSMISSION

All Simplicity lawn tractors feature a pedal-operated hydrostatic transmission system that allows you to keep both hands on the steering wheel while adjusting your speed and direction with the two foot pedals.



SUSPENSION SYSTEM

Taking your mowing comfort to the next level, Simplicity® owners can enjoy a smoother ride with suspension while still achieving a premium cut**.



This exclusive tractor technology utilises ride dampening shocks to reduce the impact of rough terrain felt by the operator. Available on Courier™ SZT175, Courier™ SZT275 and Courier™ SZT350.

SUSPENSION COMFORT SYSTEM™

The Broadmoor™ Lawn Tractor offers a complete comfort package - the Suspension Comfort System™ - comprised of suspension, a high-speed transmission and a comfortable mesh seat. Available on Broadmoor™ lawn tractor.



**Results of suspension depend on lawn conditions.

BLUEVOLT®

ELECTRIC RIDER



ELECTRIC MOWING MADE SIMPLE.

The BlueVolt™ SRE96 is a compact, fully electric rider. Its safe 72 V LiFePO₄ battery delivers up to an hour of consistent power, while a 96 cm stamped deck with twin 1.000 W motors provides strong cutting performance. Rear-wheel drive, an adjustable seat and intuitive controls keep operation straightforward, making it ideal for small to medium-sized gardens.

**NEW
2026**



INTEGRATED LED HEADLIGHTS
Modern, built-in headlights providing great visibility.



INTUITIVE CONTROL LAYOUT
A compact LED information display sits on your right-hand side just above the ignition key, giving you all the essential information at a glance.



MULCHING COVER INCLUDED
The SRE96 includes a mulching cover for efficient grass recycling.



HEIGHT OF CUT
Manual lever with 7 positions allows easy height adjustment ranging from 38 to 114 mm.

QUICK SPECIFICATIONS

BLUEVOLT® SRE96

Power

Battery	72 V LiFePO ₄
Charging time	~2h

Transmission

Type	1.000 W rear-wheel electric drive motor
------	---

Mower

Cutting Width	96 cm
Mower Deck Type	Stamped steel
Deck Drive Motors	2 x 1.000 W electric



QUICK CHARGING

Plug in and recharge with ease thanks to the quick, user-friendly charger.

KEY FEATURES

- Frame hung 96 cm mower deck with 2 anti-scalp wheels
- Mulch cover included
- Mower deck washout port
- Welded front axle
- Electric blade engagement
- Informative LED screen
- 7 position height-of-cut, 38 - 114 mm.
- Forward speed: 0 - 11,0 km/h
- Reverse speed: 0 - 4,2 km/h
- Integrated LED headlights
- Premium mid-back seat
- Battery Warranty: 5-year limited*
- Product Warranty: 2 + 1-year limited, after registration



* Or 200 working hours, whatever comes first.

See operator's manual or dealer for complete warranty details.

BLUEVOLT®

ELECTRIC ZERO TURN MOWER

**NEW
2026**



ZERO TURN
ZERO EMISSION

The BlueVolt® SZE107 offers quiet, efficient electric mowing with a 72 V LiFePO₄ battery, quick charging and agile zero-turn control. With a 107 cm deck and twin-stick operation, it's ideal for green-minded homeowners managing complex, obstacle-filled gardens.



USB-A & USB-C CHARGING PORTS
The control panel features a USB-A and USB-C charging port plus a dedicated phone storage compartment.



INTUITIVE CONTROL LAYOUT
Push buttons under the informative LCD panel enable you to control the maximum drive and blade speeds in three steps, headlights and blade maintenance timer.



MULCHING COVER INCLUDED
The SZE107 includes a mulching cover for efficient grass recycling.



12 POSITION HEIGHT ADJUSTMENT
Manual lever with 12 positions allows easy height adjustment ranging from 38 to 114 mm.



QUICK SPECIFICATIONS

BLUEVOLT® SZE107

Power

Battery	72 V LiFePO ₄
Charging time	~3h

Transmission

Type	2 x 750 W rear-wheel electric drive motors
------	--

Mower

Cutting Width	107 cm
Mower Deck Type	Stamped steel
Deck Drive Motors	2 x 1.200 W electric



CHARGING

Plug in and recharge with ease thanks to the quick, user-friendly charger.

KEY FEATURES

- 107 cm frame-hung mower deck
- Side discharge configuration, mulch cover included
- Support wheels on mower deck prevent scalping
- Drive type: Electric, 2 x 750 W
- Deck motors: 2 x 1.200 W
- Twin-lever steering controls
- Suspended mid-back seat with armrests
- Forward speed: 0 - 12,8 km/h (3 drive speed settings)
- Reverse speed: 0 - 4,0 km/h
- Tyres front/rear: 13 x 5" / 20 x 8,0"
- Battery Warranty: 5-year limited*
- Product Warranty: 2 + 1-year limited, after registration



STORAGE

Handy rear storage compartment for carrying small essentials.

* Or 200 working hours, whatever comes first.
See operator's manual or dealer for complete warranty details.

SLR85

COMPACT HIGH-GRASS MOWER

DESIGNED TO
PERFORM.
MADE TO LAST.



The SLR85 is built for places where grass grows tall and the ground is far from perfect. Ideal for holiday homes, orchards and rural gardens. Equipped with a Briggs & Stratton® 7160 EXi V-Twin engine and an 85 cm welded steel deck, it provides robust cutting performance.

A low-centre-of-gravity layout, hydrostatic drive with Automatic Controlled Traction™ and agricultural tyres ensure reliable stability on slopes. Stick-style speed control, LED headlights and cruise control make operation straightforward, even when conditions are not.

Made in Europe 



INTUITIVE STICK-STYLE SPEED CONTROL

Control forward, reverse, and driving speed precisely using a stick-style lever at your side with integrated cruise control functionality.



CONVENIENT STORAGE COMPARTMENT

Perfect for securing tools, gloves, or personal items while you focus on getting the work done.



SIMPLIFIED CONTROL PANEL

The SLR85 features a straightforward, easy-to-read control layout with an integrated hour meter, so you can focus on what really matters: mowing.



5 POSITION HEIGHT-OF-CUT

Your height of-cut can easily be adjusted between 35 and 85 mm in 5 steps.



QUICK SPECIFICATIONS

SLR85

Power

Engine Model	Briggs & Stratton 7160 EXi V-Twin
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	85 cm
Mower Deck Type	Welded Steel with single swing-back blade
Seat	Mid-back seat



LOW CENTRE OF GRAVITY DESIGN

With a low engine and seat position, the SLR85 keeps its centre of gravity close to the ground. This improves stability and control, especially when mowing slopes up to 18°.

KEY FEATURES

- 85 cm welded steel cutting deck
- Single swing-back blade for high grass and uneven terrain
- Automatic Controlled Traction™
- Cutting height: 35–85 mm (5 positions)
- Forward speed: 0 – 8.5 km/h
- Agricultural tyres for improved grip
- Tyres front/rear: 13" x 5" / 16" x 6.5"
- Cruise control and electric blade engagement
- Fuel capacity: 10 litres
- Premium mid-back seat



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton EXi engines provide consistent starting and guarantees durable performance.

REGENT™

LAWN TRACTORS

**NEW
2026**

SYT122



Made in  Europe

QUICK SPECIFICATIONS

REGENT™ SLT107

Power

Engine Model	Briggs & Stratton 7160 EXi V-Twin
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	107 cm
Mower Deck Type	Stamped Steel Side Discharge
Seat	Mid-back seat



OUTSTANDING DURABILITY

Durable pivoting cast-iron front axle and front wheel ball bearings.



QUICK SPECIFICATIONS

REGENT™ SYT122

Power

Engine Model	Briggs & Stratton 8240 PXi V-Twin
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	122 cm
Mower Deck Type	Welded Steel CentreCut™ Plus
Seat	High-back, premium seat



Made in 
Europe



CENTRE CUT™+

CONVERTIBLE MOWING TECHNOLOGY

No longer compromise between the convenience of rear discharge and the high-volume output that comes with side discharge. The new SYT122 is equipped with the latest generation in mower deck design: CentreCut™ Plus. Standard equipped with a half height mulching baffle and Eliminator® blades, this new deck design delivers the perfect balance of high-volume mowing capacity and excellent mulching results, with the benefits of compact, rear dispersion of clippings.

BROADMOOR™

PREMIUM LAWN TRACTOR WITH SUSPENSION

RUGGED
DURABILITY.
EXCEPTIONAL
PERFORMANCE.



The Broadmoor™ lawn tractor represents the perfect combination of high-performance and user comfort. With the unique Free Floating™ fabricated steel mower deck, a new rear suspension system and a breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.

WITH ELECTRIC POWER STEERING



HIGH SPEED TRANSMISSION
The Tuff-Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds.



CONTROL PANEL
The panel includes push button starting, fuel gauge and maintenance reminders providing a premium experience.



ACT™
With Automatic Controlled Traction™ (ACT), drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



FABRICATED MOWER DECK
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.

QUICK SPECIFICATIONS

BROADMOOR™ SYT410

Power

Engine Model	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2

Transmission

Type	Tuff-Torq® K62 High Speed Hydrostatic with ACT™
------	---

Mower

Cutting Width	122 cm
Mower Deck Type	Fabricated Steel, Free Floating™, Full-width striping roller
Suspension	SCS™ Rear Suspension with Mesh Seat



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



KEY FEATURES

- Free Floating™ mower deck with full-width striping roller
- Automatic Controlled Traction™
- Durable welded steel frame
- Electric power steering
- Cast-iron pivoting front axle
- Turning radius of 59 cm
- Quick Hitch™ mower deck removal system
- Electric height-of-cut adjustment
- LED headlights
- Cruise control
- Ergonomic mesh seat

WITH REAR SUSPENSION



The exclusive rear suspension reduces the impact felt at faster speeds.

BARON™

LAWN TRACTORS WITH COLLECTOR



COMPACT SIZE.
PREMIUM
COMFORT.

SLC92

The Baron™ collecting tractor lineup continues to deliver exceptional performance and versatility.

The smallest, the Baron™ SLC92, features a 92 cm cutting width and a total width of only 95 cm which makes it the ideal collecting tractor for gardens with narrow passages and gates. The larger 102 cm SLC102 boosts productivity even more, up to 8.200 m² per hour.

All tractors are powered by high performance Briggs & Stratton® engines.

Made in 
Europe



HIGH COMFORT SEAT

The adjustable, mid-back seat provides premium ride comfort and stability.



STYLISH CONTROL PANEL

The dashboard includes an hour meter, RMO switch, parking brake and throttle lever.



HEIGHT-OF-CUT

The manual height-of-cut allows for easy adjustment between 6 possible positions ranging from 30 to 90 mm.



INTEGRATED TOW HITCH

A convenient tow hitch is included on the back plate of the mower.



SLC102

QUICK SPECIFICATIONS

BARON™ SLC92		BARON™ SLC102	
Power			
Engine Model	Briggs & Stratton 7160 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	
Cylinders	2	2	
Transmission			
Type	Tuff-Torq® K46 Hydrostatic	Tuff-Torq® K46 Hydrostatic	
Mower			
Cutting Width	92 cm	102 cm	
Mower Deck Type	Stamped Steel	Stamped Steel	
Seat	Premium mid-back seat	Premium mid-back seat	
Collection Bag	300 litres	300 litres	

KEY FEATURES

- Frame hung steel mower deck
- 4 anti-scalp wheels (SLC102)
- Hydrostatic transmission
- Large 300 litre collection bag
- Cast iron front axle
- 8 litre fuel tank
- Electric blade engagement
- Manual deck lift
- LED headlights with daylight mode
- Integrated steel bumper
- 15" x 6" front tyres
- 18" x 8,5" rear tyres
- Wash port
- 2-Year limited warranty



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton EXi engine provides consistent starting and guarantees durable performance.

DUKE™

LAWN TRACTORS WITH COLLECTOR

PREMIUM
PERFORMANCE
FOR YOUR LAWN.



SYC102

The Duke™ collecting lawn tractor combines advanced design, innovative features, and superior comfort to deliver outstanding performance every time. This collecting lawn tractor is powerful, easy to operate, intelligent and comfortable to use.

Made in Europe 



DIFFERENTIAL LOCK
Provides better traction in slippery conditions (SYC122).



STYLISH CONTROL PANEL
The deluxe dashboard hosts a LED display, 2 USB ports, RMO switch, parking brake, cruise control, automatic mower shut off and throttle lever.



ADJUSTABLE SEAT
The premium high-back seat can easily be adjusted with a lever to provide plenty of legroom.



USB CHARGER PORT
The dashboard houses both a USB-A and USB-C charger port each delivering 2,4 A maximum.

QUICK SPECIFICATIONS

DUKE™ SYC102		DUKE™ SYC102X NEW!		DUKE™ SYC122	
Power					
Engine Model	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2	2	2
Transmission					
Type	Tuff-Torq® K46	Tuff-Torq® K664 & KXH 10N	Tuff-Torq® K664 & KXH 10N	Tuff-Torq® K62 Hydrostatic	Tuff-Torq® K62 Hydrostatic
Drive Configuration	2WD	4WD	4WD		
Mower					
Cutting Width	102 cm	102 cm	102 cm	122 cm	122 cm
Mower Deck Type	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel
Seat	Premium high-back seat	Premium high-back seat	Premium high-back seat	Premium high-back seat	Premium high-back seat
Collection Bag	320 litres	380 litres	380 litres	380 litres	380 litres

KEY FEATURES

- Frame hung mower deck with 4 anti-scalp wheels
- Hydrostatic transmission
- Large collection bag
- Cast iron front axle
- Cruise control
- Large 20" tyres
- Electric blade engagement
- 12 litre fuel tank
- Front wheel ball bearing
- Premium, high-back seat
- LED headlights with daylight mode
- Integrated steel bumper
- Differential lock (SYC122)
- Deck protection rails



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.(SYC122)



SYC122

DUKE™

LAWN TRACTORS WITH HIGH DUMP COLLECTOR



SYC122HD

The Duke™ HD collecting lawn tractor is built for demanding users, combining semi-professional design with commercial-grade components for unmatched performance. With innovative high dump functionality, this range sets a new standard. Powerful and easy to operate, it takes the hassle out of emptying the collector, making large-scale collection tasks more efficient than ever. Under the hood, the DUKE™ High Dump Series features a Briggs & Stratton engine, a premium Tuff-Torq transmission, and reinforced commercial-grade components, including heavy-duty bearings, spindles, pulleys and belts.



HEIGHT-OF-CUT ADJUSTMENT

Your height-of-cut can easily be adjusted between 25 and 95 mm in 7 steps. Set a minimum height with the integrated limiter.



STEERING WHEEL SPINNER KNOB

The steering wheel with a knob allows for effortless one-handed operation, making maneuvering and backing up significantly easier.



HIGH-LIFT MECHANISM

The electric-activated high dump system makes unloading fast and effortless. Operation is smooth and simple with two intuitive buttons, one to raise and lower the collector and another to open and close.



DIFFERENTIAL LOCK

Provides better traction in slippery conditions.

QUICK SPECIFICATIONS

	DUKE™ SYC102HD	DUKE™ SYC102XD	DUKE™ SYC122HD
Power			
Engine Model	Briggs & Stratton 8270 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2
Transmission			
Type	Tuff-Torq® K664 with differential lock	Tuff-Torq® K664 & KXH 10N	Tuff-Torq® K664 with differential lock
Drive Configuration	2WD	4WD	2WD
Mower			
Cutting Width	102 cm	102 cm	122 cm
Mower Deck Type	Stamped Steel	Stamped Steel	Stamped Steel
Seat	Premium high-back seat	Premium high-back seat	Premium high-back seat
Collection Bag	400 litres	400 litres	400 litres

KEY FEATURES

- Frame hung mower deck with 4 anti-scalp wheels
- Hydrostatic transmission
- High dump collection system
- Cast iron front axle
- Cruise control
- Large 20" rear tyres
- Electric blade engagement
- 12 litre fuel tank
- Front wheel ball bearing
- Premium, high-back seat
- LED headlights with daylight mode
- Integrated steel bumper
- Differential lock
- Protection rails
- Replaceable mower deck rails



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



COURIER™

ZERO TURN MOWERS

COMPACT & EASY TO NAVIGATE.



The SZT105 brings a whole new level of performance to the comprehensive Courier™ zero turn range. Designed for maximum garden access, this compact zero turn mower gets to places other zero turns cannot go. Its compact size makes it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.

CENTRECUT™
CONVERTIBLE MOWING TECHNOLOGY

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next mower.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. If you require the best mulching performance, you can mount the optional mulching kit.



USER COMFORT GUARANTEED
A compact zero turn with high levels of comfort. A big seat with armrests and plenty of legroom.



FOOT-ASSISTED MOWER DECK LIFT
Adjust the cutting height conveniently in 7 steps, ranging from 38 to 110 mm.



COMPACT DESIGN
With 98 cm total width, the SZT105 is the smallest in the range delivering unparalleled garden access.



CENTRECUT™ MOWER DECK
The fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



QUICK SPECIFICATIONS

COURIER™ SZT105

Power

Engine Model	Briggs & Stratton 7220 EXi V-Twin
Cylinders	2

Transmission

Type	Hydro-Gear® EZT®
------	------------------

Mower

Cutting Width	91 cm
Mower Deck Type	Fabricated Steel



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton EXi engine provides consistent starting and guarantees durable performance.

KEY FEATURES

- Fabricated steel CentreCut™ mower deck
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Comfortable mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed optional
- Electric blade engagement
- Integrated parking brake



COURIER™

ZERO TURN MOWERS

THE ZERO TURN
THAT DOES
SO MUCH
MORE!



SZT275

Our convertible CentreCut™ mowing technology offers total flexibility without stress of choice when buying your next zero turn mower.

The Courier™ SZT175 and SZT275 zero turns will be delivered by your dealer with either a side or rear discharge configuration kit already fitted. Should you need a different cutting configuration in the future, then you will only need a new kit instead of buying a whole new mower deck or even a new zero turn.



WITH SUSPENSION



CARGO BED

On-the-go versatility and convenience for working in the garden. Optional on the SZT175, included on SZT275.



FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.

CENTRECUT™

CONVERTIBLE MOWING TECHNOLOGY



With side discharge kit fitted



With rear discharge kit fitted

CENTRECUT™ MOWER DECK

The CentreCut™ equipped zero turns come in a pre-configured side or rear discharge version. With an optional kit you can easily convert to a different mowing configuration if needed.

With the side discharge kit fitted you will have the highest mowing capacity possible. The rear discharge kit comes with a half height mulching baffle and Eliminator® blades and provides a perfect balance between mowing capacity and mulching performance. If you mount the optional mulching kit, you will have the best mulching performance.

QUICK SPECIFICATIONS

COURIER™ SZT175		COURIER™ SZT275	
Power			
Engine Model	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	
Cylinders	2	2	
Transmission			
Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	
Mower			
Cutting Width	107 cm	122 cm	
Mower Deck Type	CentreCut™ Fabricated Steel	CentreCut™ Fabricated Steel	
Suspension	Front	Front and Rear	
Seat	Mid-back seat	Premium, mid-back seat	

KEY FEATURES

- Front suspension (SZT175)
- Front and rear suspension (SZT275)
- 107 or 122 cm fabricated steel CentreCut™ mower deck with anti-scalp wheels
- Available in side or rear discharge configuration
- Briggs & Stratton engines with 11 litres fuel tanks
- Foot operated mower deck lift
- Mid-back seat with armrests (SZT175)
- Premium mid-back seat with armrests (SZT275)
- Twin-lever steering controls with tracking adjustment
- Cargo bed included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres (SZT275)



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton PXi engine features an oil filter and pressure lubrication.



SZT275

COURIER™

ZERO TURN MOWERS

PROFESSIONAL INSPIRATION
FOR PREMIUM PERFORMANCE.



More than just a zero turn mower with a great quality cut, the integrated cargo bed along with other great features makes the Courier™ SZT350 a versatile workhorse in a category of its own.

WITH FRONT AND REAR SUSPENSION



CARGO BED

On-the-go versatility and convenience for working in the garden.



FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.



FABRICATED MOWER DECK

The 132 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



PROFESSIONAL TRANSMISSION

Hydro-Gear® ZT-2800® Transaxles providing tough and smooth operation.



QUICK SPECIFICATIONS

COURIER™ SZT350

Power

Engine Model	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2

Transmission

Type	Hydro-Gear® ZT-2800®
------	----------------------

Mower

Cutting Width	132 cm
Mower Deck Type	Fabricated Steel
Suspension	Front and Rear
Seat	Premium, mid-back seat



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton 8270 PXi engine features an oil filter and pressure lubrication.



KEY FEATURES

- Fabricated steel mower deck
- Front and rear suspension
- Centered rear rollers
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres

SPECIFICATIONS TRACTORS

TRACTOR	SLR85	REGENT™ SLT107	REGENT™ SYT122	BROADMOOR™ SYT410
Power				
Engine	Briggs & Stratton 7160 EXi V-Twin	Briggs & Stratton 7160 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Push button start
Fuel Capacity (litre)	10	8	12	16
Transmission				
Brand	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K62 High Speed
Drive configuration	2WD with ACT™	2WD	2WD	2WD with ACT™
Speed Fwd. (km/h)	0 - 8,5	0 - 8,0	0 - 8,0	0 - 9,4
Speed Rev. (km/h)	0 - 4,5	0 - 5,0	0 - 5,0	0 - 5,9
Traction Control	ACT™	-	-	ACT™
Chassis				
Front Axle	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Front Tyres (inch)	13 x 5	15 x 6	16 x 6,5	16 x 6,5
Rear Tyres (inch)	16 x 6	18 x 8,5	20 x 10	22 x 10
Power Steering	-	-	-	Electric
Seat	Mid-Back, Adjustable	Mid-Back, Adjustable	Premium High-Back, Adjustable	High-Back Mesh, Adjustable
Suspension	-	-	-	Rear
Mower				
Cutting Width	85 cm	107 cm	122 cm	122 cm
Deck Configuration	Rear Discharge	Side Discharge	CentreCut™ Plus	Side Discharge, Free Floating™
Deck Construction	Welded Steel	Stamped Steel	Welded Steel	Fabricated Steel
Anti-scalp Wheels/Rear Rollers	-	3	2	Full-Width Striping Roller
Blades	1, with swing-back cutter blades	2	3	3
Cutting Height (mm)	35 - 85	30 - 70	35 - 90	32 - 102
Cutting Height Positions	5 / Manual	6 / Manual	7 / Manual	Infinite / Electric
Collector Capacity (l)	-	-	-	-
Washout Port	-	Yes	Yes	Yes
Dimensions				
Length (cm)	192	187	189	196
Width SD (deflector up/down)	-	124 / 139	-	123 / 149
Width RD	89	-	127	-
Height	100	115	123	125
Weight (kg)	250	215	285	338
Features				
Headlights	LED	LED	LED	LED
Cruise Control	Yes	-	Yes	Yes
Hour Meter	Yes	-	Yes	Yes
Maintenance Monitor	-	-	-	Yes
USB Socket	-	-	-	-
Fuel Gauge	Sight gauge in hood	-	Sight gauge in seat deck	Electronic in dash
Mulch Kit/Plug	Optional	Optional	Optional	Optional
Product Warranty*	2-Year Limited	2-Year Limited	2-Year Limited	3-Year Limited
Engine Warranty*	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

* Applies to residential use only. See operator's manual for complete warranty details.

BARON™ SLC92	BARON™ SLC102	DUKE™ SYC102	DUKE™ SYC102X	DUKE™ SYC122
Briggs & Stratton 7160 EXi V-Twin 2 Electric, Key Start 8	Briggs & Stratton 7220 PXi V-Twin 2 Electric, Key Start 8	Briggs & Stratton 8240 PXi V-Twin 2 Electric, Key Start 12	Briggs & Stratton 8240 PXi V-Twin 2 Electric, Key Start 12	Briggs & Stratton 8270 PXi V-Twin 2 Electric, Key Start 12
Tuff-Torq® K46 2WD 0 - 8,0 0 - 5,0 -	Tuff-Torq® K46 2WD 0 - 8,0 0 - 5,0 -	Tuff-Torq® K46 2WD 0 - 8,0 0 - 5,0 -	Tuff-Torq® K664 & KXH 10N 4WD 0 - 9,0 0 - 6,0 Differential Lock	Tuff-Torq® K62 2WD 0 - 8,0 0 - 5,0 Differential Lock
Cast Iron 15 x 6 18 x 8,5 -	Cast Iron 15 x 6 18 x 8,5 -	Cast Iron 16 x 6,5 20 x 10 -	KXH 10N 16 x 6,5 20 x 10 -	Cast Iron 16 x 6,5 20 x 10 -
Premium Mid-Back, Adjustable -	Premium Mid-Back, Adjustable -	Premium High-Back, Adjustable -	Premium High-Back, Adjustable -	Premium High-Back, Adjustable -
92 cm Rear Collection Stamped Steel -	102 cm Rear Collection Stamped Steel 4	102 cm Rear Collection Stamped Steel & protection rails 4	102 cm Rear Collection Stamped Steel & protection rails 4	122 cm Rear Collection Stamped Steel & protection rails 4
2 30 - 90 6 / Manual 300 Yes	2 30 - 90 6 / Manual 300 Yes	2 25 - 95 7 / Manual 320 Yes	2 25 - 95 7 / Manual 380 Yes	2 25 - 95 7 / Manual 380 Yes
243 -	243 -	243 -	243 -	243 -
95 114 226	106 117 255	108 132 271	108 132 330	126 132 295
LED -	LED -	LED Yes	LED Yes	LED Yes
Yes -	Yes -	Yes -	Yes -	Yes -
- -	- -	1x USB-C, 1x USB-A Sight gauge in seat deck	1x USB-C, 1x USB-A Sight gauge in seat deck	1x USB-C, 1x USB-A Sight gauge in seat deck
Optional 2-Year Limited 3-Year Limited	Optional 2-Year Limited 3-Year Limited	Included 2-Year Limited 3-Year Limited	Included 2-Year Limited 3-Year Limited	Included 2-Year Limited 3-Year Limited

SPECIFICATIONS TRACTORS & ZERO TURNS

TRACTOR	DUKE™ SYC102HD	DUKE™ SYC102XD	DUKE™ SYC122HD
Power			
Engine	Briggs & Stratton 8270 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	12	12	12
Transmission			
Brand	Tuff-Torq® K664	Tuff-Torq® K664	Tuff-Torq® K664
Drive configuration	2WD	4WD	2WD
Type	Hydro	Hydro	Hydro
Speed Fwd. (km/h)	0 - 8,0	0 - 8,0	0 - 8,0
Speed Rev. (km/h)	0 - 5,0	0 - 5,0	0 - 5,0
Traction Control	Differential Lock	Differential Lock	Differential Lock
Chassis			
Front Axle	Cast Iron	Cast Iron	Cast Iron
Front Tyres (inch)	16 x 6,5	16 x 6,5	16 x 6,5
Rear Tyres (inch)	20 x 10	20 x 10	20 x 10
Power Steering	-	-	-
Seat	Premium High-Back, Adjustable	Premium High-Back, Adjustable	Premium High-Back, Adjustable
Suspension	-	-	-
Mower			
Cutting Width	102 cm	102 cm	122 cm
Deck Configuration	Rear Collection	Rear Collection	Rear Collection
Deck Construction	Stamped Steel & protection rails	Stamped Steel & protection rails	Stamped Steel & protection rails
Anti-scalp Wheels/Rear Rollers	4	4	4
Blades	2	2	2
Cutting Height (mm)	25 - 95	25 - 95	25 - 95
Cutting Height Positions	7 / Manual	7 / Manual	7 / Manual
Collector Capacity (l)	400	400	400
Maximum Lift Height (cm)	187	187	187
Washout Port	Yes	Yes	Yes
Dimensions			
Length (cm)	286	286	286
Width RD	108	108	126
Height	143	143	143
Weight (kg)	389	399	392
Features			
Headlights	LED	LED	LED
Cruise Control	Yes	Yes	Yes
Hour Meter	Yes	Yes	Yes
USB Socket	1x USB-C, 1x USB-A	1x USB-C, 1x USB-A	1x USB-C, 1x USB-A
Fuel Gauge	Sight gauge in seat deck	Sight gauge in seat deck	Sight gauge in seat deck
Product Warranty*	2-Year Limited	2-Year Limited	2-Year Limited
Engine Warranty*	3-Year Limited	3-Year Limited	3-Year Limited

* Applies to residential use only. See operator's manual for complete warranty details.

ZERO TURN**COURIER™
SZT105****COURIER™
SZT175****COURIER™
SZT275****COURIER™
SZT350****Power**

Engine	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 7220 EXi V-Twin	Briggs & Stratton 8240 PXi V-Twin	Briggs & Stratton 8270 PXi V-Twin
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	11	11	11	11

Transmission

Brand	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® ZT-2800®
Drive Type	Dual Transmissions	Dual Transmissions	Dual Transmissions	Dual Transmissions
Type	Hydro	Hydro	Hydro	Hydro
Speed Fwd. (km/h)	0 - 8,0	0 - 9,0	0 - 11,0	0 - 12,0
Speed Rev. (km/h)	0 - 4,0	0 - 4,0	0 - 4,0	0 - 4,0

Chassis

Frame	Steel	Steel	Steel	Steel
Front Axle	Steel Fixed	Steel Pivoting	Steel Pivoting	Steel Pivoting
Tyres Front/Rear (inch)	11 x 4 / 18 x 6,5	11 x 6 / 18 x 8,5	11 x 6 / 20 x 10	11 x 6 / 20 x 10
Seat	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests	Premium Mid-Back, Adjustable with Armrests	Premium Mid-Back, Adjustable with Armrests
Suspension	-	Front	Front and Rear	Front and Rear

Mower

Cutting Width	91 cm	107 cm	122 cm	132 cm
Deck Configuration	CentreCut™	CentreCut™	CentreCut™	Side Discharge
Deck Construction	Fabricated Steel	Fabricated Steel	Fabricated Steel	Fabricated Steel
Deck / Attachment Lift	Mechanical	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric	Electric
Anti-scalp Wheels	-	2	2	2
Rear Rollers	Optional Striping	Optional Striping	Optional Striping	Centered rear roller
Blades	2	2	3	3
Cutting Height (mm)	38 - 110	38 - 110	38 - 110	38 - 110
Cutting Height Positions	7 / Manual	13 / Manual	13 / Manual	13 / Manual

Dimensions

Length (cm)	178	187	187	187
Width SD (deflector up/down)	98 / 136	112 / 139	125 / 151	136 / 167
Width RD (cm)	98	112	125	-
Height (cm)	107	101	105	105
Weight (kg)	226	263	307	330

Features

Washout Port	Standard	Standard	Standard	Standard
Cargo Bed	Optional	Optional	Included	Included
Hour meter	Yes	Yes	Yes	Yes
Fuel Gauge	-	Yes, in tank	Yes, in tank	Yes, in tank
Mulch Kit/Plug	Optional	Optional	Optional	Optional
Product Warranty*	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited
Engine Warranty*	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

SPECIFICATIONS ELECTRIC RIDER & ZERO TURN

	BLUEVOLT® SRE96	BLUEVOLT® SZE107
Power		
Battery	72 V, 27.6 Ah, LiFePo4	72 V, 44 Ah, LiFePo4
Charging Time	~ 2 hours	~ 3 hours
Charger	15 A Fast Charger Included	15 A Fast Charger Included
Transmission & Chassis		
Drive Type	Electric, 1.000 W	Electric, 2 x 750 W
Drive Configuration	Rear Wheel Drive	Rear Wheel Drive
Forward Speed	0 - 11,0 km/h	0 - 12,8 km/h
Reverse Speed	0 - 4,2 km/h	0 - 4,0 km/h
Tyres Front/Rear	15" x 6" / 18 x 8.5"	13" x 5" / 20 x 8"
Tow Hitch	Yes	Yes
Mower		
Cutting Width	96 cm	107 cm
Deck Construction	Stamped Steel	Stamped Steel
Deck Type	Side Discharge	Side Discharge
Deck Motor	2 x 1.000 W	2 x 1.200 W
Anti-scalp Wheels	2	2
Height-of-Cut	7 positions / 38 - 114 mm	12 positions / 38 - 114 mm
Blades	2	2
Mower Deck Lift	Mechanical	Mechanical
Blade Engagement	Electric	Electric
Other		
Seat	15" Mid-back	15" Suspended Mid-back & Armrests
Wash Port	Yes	Yes
Mulch Cover	Included	Included
USB Socket	-	1x USB-C, 1x USB-A
Dimensions & Warranty		
Length	165 cm	168 cm
Width (deflector up/down)	103 / 118 cm	117 / 132 cm
Height	110 cm	110 cm
Assembled Weight	150 kg	228 kg
Product Warranty	2 + 1 year limited	2 + 1 year limited
Battery Warranty	5 year limited*	5 year limited*

* Or 200 working hours, whatever comes first. See operator's manual or dealer for complete warranty details.

DESCRIPTION	REGENT™ SLT107
MODEL NUMBER	2692088
Armrest Kit	
Height-of-Cut Limiter	
Rear Deflector Chute	
Sweeping Brush 120 cm	
Requires: Multi Front Carrier	
Requires: Drive Kit	
Requires: Drive Belt	
Snow Blade 120 cm	
Requires: Standard Front Carrier	
Snow Blade 120 cm	
Requires: Multi Front Carrier	
Snow Thrower 100 cm	
Requires: Multi Front Carrier	
Requires: Drive Kit	
Requires: Drive Belt	
Requires: Chute Control Kit	
Snow Chains (Pair for 18" tyres)	1697611
Snow Chains (Pair for 20" tyres)	
Mulch Plug	1697619
Configuration Kit Side Discharge	
Requires: Blades (3)	
Requires: Chute Assembly	
Requires: High Rear Baffle	
Triple Bag Collector	
Requires: Deck Boot Adapter	
Optional: Turbo Fan	
Weight, 15kg	
Requires: Weight Carrier, Rear	
Weight Carrier, Front	
Snow Chains, 22" x 10" Tyres	
Striping Roller Kit*	
Discharge Tunnel Scraper	

ACCESSORIES TRACTORS

REGENT™ SYT122	BROADMOOR™ SYT410	BARON™ SLC92	BARON™ SLC102	DUKE™ SYC102 / X	DUKE™ SYC122	DUKE™ SYC102HD/XD	DUKE™ SYC122HD
2692093	2692022	2692050	2692051	2692052	2692053	2692080 / 2692081	2692082
1687810YP		1687810YP	1687810YP	1687810YP	1687810YP	1687810YP	1687810YP
Included		84011449	84011449	84011449	84011449	Included	Included
		1697608	1697608	1697608	1697608		
1697555				1697555	1697555	1697555	1697555
1697556				1697556	1697556	1697556	1697556
1697559				1697559	1697559	1697559	1697559
84012447				84012447	84012447	84012447	84012447
1697547		1697547	1697547	1697547	1697547	1697547	1697547
1697557		1697607	1697607	1697557	1697557	1697557	1697557
1697553				1697553	1697553	1697553	1697553
1697556				1697556	1697556	1697556	1697556
1697554				1697554	1697554	1697554	1697554
1697556				1697556	1697556	1697556	1697556
1697559				1697559	1697559	1697559	1697559
84012447				84012447	84012447	84012447	84012447
1697618				1697618	1697618	1697618	1697618
		1697611	1697611				
1697562				1697562	1697562	1697562	1697562
84014006	1696909	1697609	1697606	Included	Included	1697626	1697625
1759055YP							
1697673							
84014006							
	1697363A						
	1697376A						
	1696750A						
	1691319SM						
	1694922SM						
	1694155SM						
	1695092SM						
1697536							
		84013406	84013406	84013406	84013406	Included	Included

DESCRIPTION	BLUEVOLT® SRE96	BLUEVOLT® SZE107	SLR85
	2692099	2692097	2692096
Mulch Kit	Included	Included	1697688
Collection Kit	1697672	1697671	

* Compatible with 2022 and newer CentreCut™ mower decks.

ACCESSORIES ZERO TURNS

DESCRIPTION	COURIER™ SZT105	COURIER™ SZT175	COURIER™ SZT275	COURIER™ SZT350
MODEL NUMBER	2692021	2691923	2691922	2691696
Configuration Kit Side Discharge	1697523	1697446	1697448	
Configuration Kit Rear Discharge	1697524	1697447	1697449	
Mulch Kit (Eliminator®)				1696908
Mulching Baffle Full Height	84008240	84007258	84007244	
Twin Bag Collector	1697408A	1697408A	1697408A	1697408A
Requires: Deck Boot Adapter	1697101	1697373A	1697376A	
Requires: Deck Boot Adapter + Turbo Fan				1696768A
Cargo Bed Kit	1696711	1696711	Included	Included
Service Jack	5601080	5601080	5601080	5601080
Requires: Service Jack Mount	5601098	5601098	5601098	5601098
Striping Roller Kit*	1697535	1697536	1697536	

Not all accessories shown in this catalogue may be available in your country. Please contact your dealer for further details.





Weight carriers front / rear



Wheel weights



Mulch kit



Cargo Bed



Twin bag collector



Sweeping brush 120 cm (SYC)



Snow chains



Snow thrower 100 cm (SYC)



Snow blade 120 cm (SLC & SYC)



Discharge Tunnel Scraper (SLC & SYC)



STRIPING ROLLER KIT*

A well-manicured lawn deserves perfect stripes.



SERVICE JACK

For easy maintenance access to the underside of the mowing deck.

* Compatible with 2022 and newer CentreCut™ mower decks.




Simplicity
CENTURY OF STRIPES • 1922-2022®



www.simplicitymfg.eu



YOUR SIMPLICITY® DEALER:



BRIGGS & STRATTON NETHERLANDS BV SCHEPERSWEG 4C 6049 CV HERTEN THE NETHERLANDS tel: +31 (0)475 408 383

© 2026 ALL RIGHTS RESERVED.

BRIGGS & STRATTON HAS A POLICY OF CONTINUOUS PRODUCT IMPROVEMENT AND RESERVES THE RIGHT TO MODIFY ITS SPECIFICATIONS AT ANY TIME AND WITHOUT PRIOR NOTICE. NO LIABILITY CAN BE ACCEPTED FOR PRINTING ERRORS. PRODUCTS MAY VARY FROM IMAGES SHOWN. 01/2026EUN